



**AP-1.2B**

## **AutoPASS Formats - Appendices**

**Previously published as:**

**4.3 - AutoPASS Formats Appendixes**

## DOCUMENT STATUS

Document number:	AP-1.2B / 4.3 AutoPASS Data Formats Appendices
------------------	--

Status	Version	Description
Final	1.03	

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.10.2019	Statens vegvesen (NPRA)	New document
1.01	08.03.2023	Statens vegvesen (NPRA)	Removed HGV, HGC, NSL, NAT and NAC. HGV and HGC moved to AP-3.1 Removed content on EasyGo HUB and ACFC.
1.02	07.07.2023	Statens vegvesen (NPRA)	TST moved to AP-3.4
1.03	17.07.2024	Statens vegvesen (NPRA)	OBUS Status File moved to AP-3.2 AIT moved to AP-3.5 TR moved to AP-3.8 Picture File moved to AP-3.9 Picture Text File moved to AP-3.10

# 1 Appendix overview

Appendix A-series (AutoPASS HUB formats)		
Appendix name	Format name	Information
A1 - ACT Format	ACT	
A2 - TST Format	TST	
A3 - AIT Format	AIT	
A4 - Whitelist Format <b>Moved to AP-3.1</b>	HGV, HGC, HGVC	HGC is confirmation file
A5 - OBUSStatus File	NSL	
A6 - Blacklist Format <b>OBSOLETE</b>	NAT, NOC	HOC is confirmation file
A7 - TIF & TIC Format	TIF, TIC	TIC is confirmation file
A8 - Transaction File		
A9 - Picture File		
A10 - Picture Text File		
A11 – Tariff File		
A12 - Exception Messages		
A13 - Alarm Messages	ALM, ALC	ALC is confirmation file

Appendix B-series (Tables)		
Appendix name	Format name	Information
B1 - Tables		

Appendix C-series (Other formats and specifications)		
Appendix name	Format name	Information
C5 – Image processing supplier specification		
C6 – Transaksjonsformat 4.3 for Ferry		Draft



## 4.3 AutoPASS Formats

### Appendix A01– ACT Format

# DOCUMENT STATUS

Document number:	4.3 – A1
------------------	----------

Status	Version	Description
Final	1.0	4.3 Appendix A1

Authorisation	Name	Date	Signature
Author	Per Einar Pedersli	08.08.2017	
Norwegian Public Roads Administration	Kåre Inge Viken	08.08.2017	

# DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.06.2017	Per Einar Pedersli	New document
1.1	08.10.2019	Kåre Inge Viken	New page 1

Table of contents

DOCUMENT STATUS ..... 2

1.1 ACT (ACTOR TABLE) ..... 4

1.1.1 Description ..... 4

1.1.2 Format Actor Table file (Version 130001) ..... 5

## 1.1 Actor Table (ACT)

### 1.1.1 Description

This table is produced by the EasyGo management which maintains it according to the general rules for all Toll Service Providers (TSP), Toll Chargers (TC), EGH and others which have a defined role in EasyGo. This table is created and maintained by the EasyGo management and compiled at the (EGH) and distributed in a file to all actors. The information from the actors can be sent either by mail to the EasyGo management or as an ACT file only containing data from the sender. All changes shall result in a transfer of an updated Actor Table file to all actors. The data in the Actor Table is used to verify that all partners are authorized. If the same toll company has a combined TC/TSP role it will be represented in both roles, with separate ID's for each role. This table is a part of the data set "EFC context data" referred to in the business process "Originate and distribute EFC context data".

The Actor ID is used as identifier either as sender or receiver in all data exchange. The Actor ID used shall preferably be according to ISO 14816 /ISO 14906. A TSP is usually registered with an ID according to ISO 14816. An agreed coding within each country, where the first 1 or 2 characters are unique for the country, will be used in EasyGo. A TC is usually not registered with an ID according to ISO 14816. The EasyGo management shall ensure a unique Actor ID for TCs and CFCs in EasyGo until international standards are established for TCs and CFCs.

The EGH also have dedicated Actor IDs. In addition, one special "Actor ID" (999999) is reserved for a broadcast from the EGH (Previous NCFC) to all actors. When a complete ACT file is sent to all actors at once the ID of the recipient is 999999. If a limited ACT file is sent to a specific TC or TSP the Actor ID of the recipient of the filtered file is used in the header and the filename.

The data in the table is divided in two categories:

1. Data which shall not be changed (marked as "No change")
2. Data which can be updated upon request

Format of filename      Old:    ACTxxxxxyyyymmddss\_vvvvvv (26 characters)  
                                 New:    ACTxxxxxyyyymmddss\_zzzzzz\_vvvvvv (33 characters)  
Format of list name:      ACTxxxxxyyyymmddss (19 characters)

xxxxxx = Identifier of the sender of the Actor Table (6 characters). An Actor Table is sent from the EGH where the Actor ID of the EGH is used as sender.

yyyy = Year (4 characters)

mm = Month (2 characters)

dd = Date (2 characters)

ss = Sequence within the day (sequential number of 2 characters increased for each file of this type sent per day beginning with 01)

zzzzzz = The receiver 999999 is used in order to distributed a complete list to all connected TCs and TSPs automatically. If a filtered list is sent to a specific TC or TSP the ID of the TC or TSP is used as recipient

vvvvvv = Version name

## 1.1.2 Format Actor Table file (Version 130001)

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Mandatory/ Optional	Value if Nothing	Update req. test. Yes
Header									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
Sender Identifier	6	AlphaN	2	7	Actor ID 6 digits identifier of the Company having created this file and sending the file.		Mandatory		
Receiver Identifier	6	AlphaN	8	13	Actor ID 6 digits identifier of the Company receiving this file		Mandatory		
List Sequence	19	AlphaN	14	32	ACTxxxxxYYYYMMDDSS		Mandatory		
Previous List Sequence	19	AlphaN	33	51	ACTxxxxxYYYYMMDDSS (ACT0000000000000000 if first list)		Mandatory		
Moment of activation	14	Numeric	52	65	YYYYMMDDHHmmss UTC (Filled with zero if no value, activation immediately after processing) If the "Moment of activation" is filled with a moment in the future and a newer version of the ACT is delivered, with a processing date prior to this date (or for immediate processing), the older file will be discarded without processing it.		Mandatory		
Number of records	15	Numeric	66	80	Number of records (lines) in Body		Mandatory		
Moment of creation	14	Numeric	81	94	YYYYMMDDHHmmss UTC		Mandatory		
List format version	6	AlphaN	95	100	The value to be filled in is defined above. This will allow for individual time schedules for updating of actors systems.		Mandatory		
Filler	27	AlphaN	101	127	Reserved for future use, filled with Zeros		Mandatory	0	
End of header	1	AlphaN	128	128	End of line		Mandatory		
Body									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
ActorID	6	AlphaN	2	7	Unique ID identifier in the EasyGo system for the actor responsible for the following data. <b>Shall not be changed.</b>		Mandatory		No change
Actor ID Connected	6	AlphaN	8	13	If the Actor X has appointed another Actor Y to acts on its behalf the Actor ID of Y shall be stated. Several Actors may appoint the same Actor Y. If no actor is appointed to act on behalf of the Actor the value of the actor or 000000 must be stated.		Mandatory		
Actor ID Connected CFC	6	AlphaN	14	19	EasyGo HUB is 200000		Mandatory		
Actor Type	2	AlphaN	20	21	Code for identification of actor type: 10 – EasyGo HUB 11 – ACFC (only for administrative purpose) 30 – Toll Service Provider (TSP) 31 – Toll Charger (TC)		Mandatory		No change
Actor name	30	AlphaN	22	51	Full name of actor.		Mandatory		
Address	50	AlphaN	52	101	Full (except postal code/city) address of actor, preferably postal address.		Mandatory		
Postal code	6	AlphaN	102	107	Postal code of address (no country prefix),		Mandatory		
Country code	3	AlphaN	108	110	Number according ISO 3166-1-Alpha-2 code elements (DK = Denmark, NO = Norway, AT = Austria, SE = Sweden etc...)		Mandatory		
Telephone working time	15	AlphaN	111	125	(*)		Mandatory		
Telephone outside working time	15	AlphaN	126	140	(*)		Optional		
Telefax	15	AlphaN	141	155	(*)		Optional		
Mobile phone	15	AlphaN	156	170	(*)		Optional		



Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Mandatory/ Optional	Value if Nothing	Update req. test. Yes
Internet – web site	100	AlphaN	171	270			Mandatory		
E-mail address	100	AlphaN	271	370			Mandatory		
Customer related contact	30	AlphaN	371	400	Name of the contractual responsible person in the company. Changed content in the field) fieldname do longer not correspond to the content of the field.		Mandatory		
Contact– Direct telephone	15	AlphaN	401	415	(*)		Mandatory		
Contact – Direct mobile	15	AlphaN	416	430	(*)		Optional		
Contact – Direct e-mail	100	AlphaN	431	530	Should be a group mail		Mandatory		
IT support contact	30	AlphaN	531	560	IT support contact for actor		Mandatory		
IT support contact– Direct telephone	15	AlphaN	561	575	(*)		Mandatory		
IT support contact– Direct mobile	15	AlphaN	576	590	(*)		Optional		
IT support contact– Direct e-mail	50	AlphaN	591	640	Should be a group mail or service desk mail address		Mandatory		
Mails from EasyGo HUB	50	AlphaN	641	690	All mails from the EasyGo to an actor will be send to this mail.		Mandatory		
Administrative contact Financial and data exchange	30	AlphaN	691	720	Administrative contact department for actor. Handling matters between TC and TSP, primarily data content in files and payment of transaction and TSP fee.		Mandatory		
Administrative contact– Direct telephone	15	AlphaN	721	735	(*)		Optional		
Administrative contact– Direct mobile	15	AlphaN	736	750	(*)		Optional		
Administrative contact– Direct e-mail	100	AlphaN	751	850	Should be group mail		Mandatory		
Bank account number	20	AlphaN	851	870	Bank account number for actor (for local use between national actors). (*)		Optional		
Description	50	AlphaN	871	920	Description of actor.		Mandatory		
Date established	8	AlphaN	921	928	Format: ddmmyyyy. Date for establishment of actor		Mandatory		
TypeofContract AutoPass	16	AlphaN	929	944	Only if Norwegian TSP A code for the type of contract TSP has as a part of AIP. Blank if TC. Only used in AutoPass		Optional		
VAT-number 1 for Currency 1 (Organization number)	20	AlphaN	945	964	The actors VAT number starting with a two letter national code within the EU (e.g. AT, DK, and SE). The VAT number is numerical in Norway.		Mandatory		
IBAN number	28	AlphaN	965	992	The actors IBAN-number for international payments in Currency 1. May be used for all currencies if no other bank accounts are stated.		Mandatory		
BIC code	11	AlphaN	993	1003	The actors BIC code for international payments.		Mandatory		
Postal address (place/city name) (Address of the TC)	30	AlphaN	1004	1033	Postal place/city name. Mandatory city name for TC. Additional information when Post Box is used in order to specify the geographical location.		Mandatory		
Currency 1	3	AlphaN	1034	1036	The currency of the actor's VAT number 1.		Mandatory		
VAT-number 2 for Currency 2	20	AlphaN	1037	1056	The actor's VAT-number 2 if a second currency is used. Mandatory if Currency 2 is stated.		Mandatory/O ptional		
Currency 2	3	AlphaN	1057	1059	The currency of the actor's VAT number 2 (if a second currency is used).		Optional		
IBAN number currency 2	28	AlphaN	1060	1087	The actor's IBAN-number 2 for international payments in Currency 2		Optional		
BIC/ code currency 2	11	AlphaN	1088	1098	The actor's BIC code 2 for international payments in Currency 2		Optional		
TC type	1	AlpahN	1099	1099	Value A = EasyGo HUB B = The TC is a General Party in the JVA. C = The TC is a Limited Party to the JVA D = Service Recipient TC F = The TSP is an EasyGo TSP. G = Service Recipient TSP		Optional/ Mandatory		

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Mandatory/Optional	Value if Nothing	Update req. test. Yes
TC operational name	30	AlpahN	1100	1129	Name of operational company acting on behalf of the TC if outsourced.		Optional		
Type of charge	2	Numeric	1130	1131	Fee, duty or tax. 00 - no information 01 – Tax 02 – Duty (Custom) 03 – Fee (Private or public)		Mandatory		
Currency 3	3	AlphaN	1132	1134	The currency of the actor's VAT-number 3 (if a third currency is used)		Optional		
VAT-number 3 for currency 3	20	AlphaN	1135	1154	The actor's VAT-number 3 if a third currency is used. Mandatory if Currency 3 is stated.		Mandatory/Optional		
IBAN number currency 3	30	AlphaN	1155	1184	The actor's IBAN-number 3 for international payments in Currency 3		Optional		
BIC code currency 3	11	AlphaN	1185	1195	The actor's BIC code 3 for international payments in Currency 3		Optional		
Currency 4	3	AlphaN	1196	1198	The currency of the actor's VAT-number 4 (if a fourth currency is used)		Optional		
VAT-number 4 for currency 4	20	AlphaN	1199	1218	The actor's VAT-number 4 if a fourth currency is used. Mandatory if Currency 4 is stated.		Mandatory/Optional		
IBAN number currency 4	30	AlphaN	1219	1248	The actor's IBAN-number 4 for international payments in Currency 4		Optional		
BIC code currency 4	11	AlphaN	1249	1259	The actor's BIC code 4 for international payments in Currency 4		Optional		
Company registration number	20	AlphaN	1260	1279	The actors registration number at the local trade office		Mandatory		
For later use	150	AlphaN	1380	1429	Filled in with '0's		Mandatory	0	
End of record	1	AlphaN	1430	1430	End of line		Mandatory		
Footer									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
Filler	62	AlphaN	2	63	Reserved for future use, filled with Zeros		Mandatory	0	
End of Footer	1	AlphaN	64	64	End of line		Mandatory		

(\*) - Numbers represented with numerals only (without spaces as separators in between digits). For telephone numbers also national prefix is included (e.g. 0047....)

A currency can only be stated once. It is not allowed to attach two bank accounts to the same currency.

The same bank account can however be used for several currencies. It is the responsibility of the recipient of a bank transfer to keep track of the received currencies and amounts.

If the TSP service is performed from one country allowing for different currencies the VAT number may be the same for several currencies.



## 4.3 AutoPASS Formats

Appendix A02 TST Format



## 4.3 AutoPASS Formats

Appendix A02 – ALE Format

Replaced by AP-3.5



## 4.3 AutoPASS Formats

Appendix A4 – White list Format



## **4.3 AutoPASS Formats**

Appendix A5 – OBU Status File



## 4.3 AutoPASS Formats

Appendix A5 – Blacklist Format



## **4.3 AutoPASS Formats**

Appendix A7 – TIF & TIC Format



## DOCUMENT STATUS

Document number:	4.3
------------------	-----

Status	Version	Description
Final	2.0	

Authorisation	Name	Date	Signature
Author	Kåre Inge Viken	28.05.2019	
Norwegian Public Roads Administration	Vidar Myrbakk	29.05.2019	

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	02-03-2017	Per Einar Pedersli	New document
1.1	11-01-2018	Kåre Inge Viken	Minor corrections
1.2	30-04-2018	Kåre Inge Viken	Pos. 602 in TIF corrected, Definition of C4 changed
1.3	30-10-2018	Kåre Inge Viken	Fuel type added in pos 564 – 567.
2.0	25-04-2019	Kåre Inge Viken	Major revision Changes adopted after EasyGo rev. 27.03.19 Correction of fields used by Autopass. Adding EFC Attribute “VehicleMaxLadenWeight” in TIF. Clarification of definition of position 97-100 in the TIF-file. Added reason for rejection for AutoPASS C4 transactions in TIC.
2.1	28-05-2019	Kåre Inge Viken	Added value: reference number for TCcredit transactions in TIC header, pos.142 – 146. Some fields changed from optional to mandatory, (changes marked yellow)
2.2	08-08-2019	Kåre Inge Viken	Corrected nr. Of char, in pos 353 – 602 and pos.747 - 809. Corrected value in begin in end of line ( pos 810.)

Table of contents

DOCUMENT STATUS ..... 2

1.1 TIF (TRANSIT INFORMATION FILE) FILE ..... 4

    1.1.1 Description ..... 4

    1.1.2 Principles of transfer ..... 4

    1.1.3 Format TIF (Version 130001) ..... 5

1.2 CODES FOR TYPE OF TRANSITS ..... 10

1.3 TIC (TIF CONFIRMATION) FILE ..... 13

    1.3.1 Description ..... 13

    1.3.2 Format TIC (TIF confirmation) (Version 130001) ..... 14

## 1.1 TIF (Transit Information File) file

### 1.1.1 Description

The Transit Information File contains the information concerning the transactions performed by the Service Users (SU) on the toll facilities managed by a specific TC. The name of the file and list follows the same principle. The name of the receiver is included in the filename to ensure the unique identity of the file.

Toll Charger:

Format of filename      TIFxxxxxyyyymmddssss\_ zzzzzz\_vvvvvv (35 characters) only one list to one receiver zzzzzz

Format of list name      TIFxxxxxyyyymmddssss\_vvvvvv (28 characters)

Where is:

xxxxxx = Identifier of the sender of the Transit Information File (6 characters), that means the Actor ID of the TC.

yyyy = Year (4 characters) of production of the file

mm = Month (2 characters) of production of the file

dd = Date (2 characters) of production of the file

ssss = Sequence within the day (sequential number increased separately for each file/list per sender/receiver combination per day starting with 0001)

zzzzzz = Identifier of the receiver of the Transit Information File (6 characters)

vvvvvv = Version name

Each TC shall generate one TIF file for each TSP for all transactions between the RSE of the Toll Charger and the OBE issued by the Toll Service Provider. The TC claims periodic payments from the TSP for those transactions. This is done by transferring the TIF file or files to the AutoPASS IP that forwards the file to the relevant receiver TSP.

### 1.1.2 Principles of transfer

All transactions stored in the TC system which can be connected to a TSP based on the field “Actor ID of TSP” in the transaction record will be transferred via TIF file or files to the AutoPASS IP. AutoPASS IP forwards the TIF files unchanged to the receiver.

It is important to distinguish between the information related to the filename and information in the list in the file:

Transaction list: A list containing transactions from one TC to be sent to a final destination of one specific TSP. A Transaction list is embraced by a header and footer. In case of both Debit and Credit transactions to a TSP, these transactions shall be divided in to two transaction list to the TSP i.e. ssss = 0001 and 0002. A list shall only contain transactions in the same currency. The combination of TIF name of the list and receiver in the header gives the list unique identity.

Transaction file contains only one Transaction list in the file. A TSP returns a transaction list confirmation file to the TC, following the same principles as described above. Each TIF list shall be confirmed by exactly one TIC list. The header of each TIC list contains the name of TIF list, version number and receiver which identifies the TIF file it is related to.

Norway only:

AutoPASS IP will transfer all transactions not connected to a valid contract to the TC according to ActorID in each passage from roadside. The receiver and sender will both be the TC.

### 1.1.3 Format TIF (Version 130001)

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/ Optional	Value if Nothing	INFO Lane
Header									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer,	-	Mandatory		
Sender Identifier	6	AlphaN	2	7	6 digits Actor ID identifier of the TC (Company having created this file).	-	Mandatory		
Receiver Identifier	6	AlphaN	8	13	6 digits Actor ID identifier of the Company TSP having received this file. The TSP who will invoice the customer.	-	Mandatory		
File Sequence	21	AlphaN	14	34	TIFxxxxxyyyymmddssss	-	Mandatory		
Previous File Sequence	21	AlphaN	35	55	TIFxxxxxyyyymmddssss	-	Mandatory		
Currency	3	AlphaN	56	58	Currency coding. ISO 4217 Currency Codes	-	Mandatory		
Number of records in body	15	Numeric	59	73	Number of records (lines) in Body	-	Mandatory		
Credit/Debit	3	AlphaN	74	76	State the contents of the lines (All lines in the body is either credit or debit) Value to be used: CRE/DEB	-	Mandatory		
Number of transactions	15	Numeric	77	91	Number of transactions to be included in calculation of TSP fee. In case of more than one line for a transaction due to different VAT or a number of sections regarded as one transaction like in Austria this number will be different from the number of lines. The number is the sum of: Number of E/T transactions and the number of C/R transactions <b>not</b> being part of an E/T transaction.	-	Optional/ Mandatory if different		
Moment of creation	14	Numeric	92	105	YYMMDDHHmmss	-	Mandatory		
List format version	6	AlphaN	106	111	The value to be filled in is defined above. This will allow actors for individual time schedules for updating of systems.	-	Mandatory		
Filler	50	AlphaN	112	161	Reserved for future use, filled with Zeros	-	Mandatory	0	
End of header	1	AlphaN	162	162	End of line	-	Mandatory		
Body									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer	Mandatory	Mandatory		
Type of transit	2	AlphaN	2	3	Indicates different characteristics of the transit: Cx/Dx/Ex = Debit transactions and Rx/Sx/Tx = Credit transactions Cx/Rx primary transactions, Dx/Sx used if transaction has amount with divided VAT or VAT is calculated in one line, Ex/Tx used for aggregated transactions. Described in detail in section 1.2 in this document	Mandatory	Mandatory		L or CS
PersonalAccountNumber	19	AlphaN	4	22	Atr. ID 32 according to PISTA and 15509 no. According to 7812. Expiry date and usage control is not used and filled in this field.	Mandatory	Mandatory TSP Optional TC		L
Actor ID of TSP	6	AlphaN	23	28	Actor ID of the TSP is the first 6 digits of the context mark.	Mandatory	Mandatory TSP Optional TC		
ContractAuthenticator	5	AlphaN	29	33	Part of the ContractAuthenticator attribute retrieved during the transaction Currently not used.	Optional	Optional		L
Date and time of the entry transit	14	Numeric	34	47	YYMMDDHHmmss (filled with zeroes in case of open system) Local Time	Optional	Optional		L
Entry Station – Country Code	2	AlphaN	48	49	Refer to Toll Station Table (filled with zeroes in case of open system)	Optional	Optional	0	(L)

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/ Optional	Value if Nothing	INFO Lane
Entry Station – Actor ID	6	AlphaN	50	55	Refer to Toll Station Table (filled with zeroes in case of open system)	Optional	Optional	0	(L)
Entry Station – Network Code	1	Numeric	56	56	Refer to Toll Station Table (filled with zeroes in case of open system) (only last digit of TST)	Optional	Optional		(L)
Entry Station – Station Code	4	Numeric	57	60	Refer to Toll Station Table (filled with zeroes in case of open system)	Optional	Optional		(L)
Date and time of the exit transit	14	Numeric	61	74	YYYYMMDDHHmmss used on invoice in EasyGo, HHmmss only available for toll transaction, not for aggregated daily sums of a free flow system (e.g. Austria), where it is filled with zeros. Local time	Mandatory HHmmss=000000	Mandatory		L
Exit Station – Country Code	2	AlphaN	75	76	Refer to Toll Station Table	Optional	Optional	0	
Exit Station – Actor ID	6	AlphaN	77	82	Refer to Toll Station Table (Actor ID of the TC)	Mandatory	Mandatory		L
Exit Station – Network Code	1	Numeric	83	83	Refer to Toll Station Table (only last digit of TST value)	Optional	Optional		L
Exit Station – Station Code	4	Numeric	84	87	Refer to Toll Station Table	Mandatory	Mandatory		L
Lane Identification	4	AlphaN	88	91	Identification code of the lane – Only Exit station	Mandatory	Mandatory	0	L
Tariff Classification	2	AlphaN	92	93	TC specific vehicle class applied for tariff calculation	Mandatory	Mandatory	0	L
VehicleClass	1	Numeric	94	94	As retrieved from the OBE during transaction; filled with zeroes in case of measured classification (Class from OBE)	Optional	Optional		L
VehicleDimensions	9	Numeric	95	103	As retrieved from the OBE during transaction; filled with zeroes in case of measured classification	Optional	Optional		L
VehicleAxles	6	Numeric	104	109	As retrieved from the OBE during transaction; filled with zeroes in case of measured classification or the TC does not use number of axels for classification.	Optional	Optional		L
VehicleAuthenticator	5	Numeric	110	114	As retrieved from the TC in case of claimed classification; filled with zeroes in case of measured classification. Not used	Optional	Optional		L
Fee (VAT excluded)	11	Numeric	115	125	Fee associated to the transaction (in the smallest unit, e.g. euro cents if euro is the currency)	Mandatory =sum of C	Mandatory		
Amount of VAT	11	Numeric	126	136	Fee associated to the transaction (in the smallest unit, e.g. euro cents if euro is the currency)	Mandatory =cal. Of sum of C	Mandatory		
Fee (VAT included)	11	Numeric	137	147	Fee associated to the transaction (in the smallest unit, e.g. euro cents if euro is the currency) In case of aggregated VAT calculation the C tx shall be filled with 0	Mandatory = sum of C + VAT	Mandatory		
Currency	3	AlphaN	148	150	Currency coding. ISO 4217 Currency Codes	Mandatory	Mandatory		
Applied VAT rate	4	Numeric	151	154	Uudd (percentage as for uu.dd %)	Mandatory	Mandatory		
Transaction result	2	Numeric	155	156	Field indicating the transaction result, over two digits Not used	Optional	Optional		L
OBE status	2	Numeric	157	158	Indicates OBE status as reported during the transaction: "01" Low battery "02" OBE tampered "03" No smart card inserted "04" No communication "05" OK	Optional	Optional		L
Level of Security	2	Numeric	159	160	"00" No security key used for access OBE "01" Use of security key to access OBE	Optional	Mandatory TSP Optional TC		L
Payment aggregation number	29	AlphaN	161	189	A sequence number used for all transactions within a calendar month. Required by Swedish Transport Agency (STA) as TC to mark a payment from a TSP. All transaction within one TIF file must have the same aggregation number. If transactions with different aggregation numbers are sent, they shall be included in different TIF files. The aggregation number is to be stated by the TSP when the monthly payment to the TC is settled.	Optional	Optional	0	

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/Optional	Value if Nothing	INFO Lane
Text Description	25	AlphaN	190	214	Text field with an explanation of the transaction by the TC, to be copied by the TSP in the user's invoice. Field is used for specification of purchase and not for location of transaction (Entry/Exit Station code).	Mandatory	Mandatory/Optional		L
Type of toll lane	2	Numeric	215	216	"01" Manual "02" Automatic Card "03" EFC OBE Dedicated "04" Mixed "05" ORT – EFC / Video tolling "06" Distance based free flow DSRC system only (e.g. Austria) "07" Distance based free flow Virtual transaction only(Austria) "99" Aggregated transaction free flow DSRC system only (e.g. Austria)	Mandatory =99	Mandatory		L
Type of operation of the specific lane	2	Numeric	217	218	Used if it is possible to operate a lane different from type of toll lane or when a mixed lane is set to a specific type of operation. "01" Manual "02" Card "03" EFC "04" Mixed "05" ORT – EFC / Video tolling "06" Distance based free flow – DSRC "07" Distance based free flow – virtual transaction only	Optional	Optional/ Mandatory if type of operations is different from type of toll lane		L
Mode of operation (OK, Degraded)	2	Numeric	219	220	"01" Normal (used for all transactions also virtual and keyed in as long as the RSE is operating correct. "02" Degraded. To be used in case of abnormal use of RSE i.e. Known technical failure or maintenance of RSE causing no automatic registration "03" No DSRC equipment – only virtual transactions (only Austria).	Optional	Optional		L
Manual Entry Classification	2	Numeric	221	222	Possible values from "00" to "99"	Optional	Optional		
Change of class indicator	1	Numeric	223	223	"1" Change	Optional	Optional		
Pre DAC (Class Automatic Detection) exit	1	Numeric	224	224	Possible values from "0" to "9"	Optional	Optional		L
Post DAC exit	1	Numeric	225	225	Possible values from "0" to "9"	Optional	Optional		
DAC entry	1	Numeric	226	226	Possible values from "0" to "9"	Optional	Optional		
.Height detector entry	1	Numeric	227	227	Possible values from "0" to "9"	Optional	Optional		L
For future use	12	AlphaN	228	239	Reference field where TC can fill in relevant information to identify the transaction if needed when 12 Characters is sufficient.	Optional	Optional		
License Plate number declared	10	AlphaN	240	249	License plate number personalized in the OBE or on the HGV list if applicable.	Mandatory	Optional/ Mandatory for EasyGo+		L
Nationality of License Plate number declared	2	AlphaN	250	251	Nationality of license plate number personalized in the OBE or on the HGV list if applicable using 3166 Alpha 2. <b>Mandatory if licence plate declared is filled.</b>	Mandatory	Optional/ Mandatory for EasyGo+		L
License Plate number detected	10	AlphaN	252	261	Licence plate from OCR or manually control	Optional	Mandatory/ Optional		L
Nationality of license Plate number detected	2	AlphaN	262	263	Nationality of Licence plate from OCR or manual control using 3166 Alpha 2. <b>Mandatory if licence plate detected is filled.</b>	Optional	Mandatory/ Optional		
ID of NAT list used for validation	19	AlphaN	264	282	List name of NAT list which is used to verify the passing. IF no NAT list has been used the field is filled with zeros.	Mandatory =000.	Mandatory/ Optional	0	L
Video Picture Counter	10	Numeric	283	292	Sequential counter of video pictures taken	Optional	Optional		

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/ Optional	Value if Nothing	INFO Lane
Fuel type	3	AlphaN	293	295	Used by AutoPASS and other TC where defined: First two characters indicate Fuel Type: <ul style="list-style-type: none"> <li>AutoPASS shall use column "Fuel Type" of Table 19 in doc. 4.3 appendix B1. All others shall use column "Engine Characteristics".</li> <li>Character 3 ("Y" or "N"), indicates if the vehicle is a chargeable hybrid (able to drive 40 km or more on only battery power)</li> </ul>	Mandatory	Mandatory	0	
AutoPASS emission class	2	AlphaN	296	297	Used by AutoPASS and EasyGo basic TC where defined: Use value from HGV Used by EasyGo+: Personalized in OBE (Declared) Emission class. See Table 18 in doc.4.3 appendix B1	Mandatory	Mandatory	0	
Tariff classification	2	AlphaN	298	299	Used by AutoPASS and other TC where applicable: See Table 17 in doc.4.3 appendix B1 Specific vehicle class applied for tariff calculation Byte 1: Classification code according to EU standard Byte 2: Classification code according to national standard having created this information. This means in EasyGo the local Norwegian class.	Mandatory	Mandatory	0	
VehicleSpecialClassification	2	AlphaN	300	301	<ul style="list-style-type: none"> <li>First number trailer bit: 0= No trailer/no info; 1= Trailer detected</li> <li>Second number is AutoPass Ferry Class. See table 7 in doc. 4.3 appendix B1 Table 7.</li> </ul>	Optional	Optional	0	
Lane Mode	2	Numeric	302	303	Used by AutoPASS:determines the mode of the lane at the time of passage, see Table 9. in doc. 4.3 appendix B1	Mandatory	Optional	0	
Signal code bitmap	8	Numeric	304	311	Used by AutoPASS: See Table 8 9 in doc.4.3 appendix B1	Mandatory	Optional	0	
Applied discount rate	3	Numeric	312	314	Used by AutoPASS: Applied discount percentage	Mandatory	Mandatory	0	
Pricing correction	2	Numeric	315	316	Used by AutoPASS and other TC where defined: 01... Wrong weight class 02...Incorrect fuel class 03...Incorrect euro class	Mandatory	Optional	0	
Signal Code	2	Numeric	317	318	Used by AutoPASS: See Table 10 in doc. 4.3 appendix B1 -		Mandatory	0	
Applied pricing rules	9	AlphaN	319	327	Used by AutoPASS and other TC where defined: Applied pricing rules, 3 characters for each applied pricing rule. Pricing rule 1: Digit 319-321 Pricing rule 2: Digit 322-324 Pricing rule 3: Digit 325-327		Mandatory	0	
For future use	2	AlphaN	328	329		Optional	Optional	0	

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/ Optional	Value if Nothing	INFO Lane
ID of HGV list used for validation	19	AlphaN	330	348	Determines identification of HGV used for validation and/or pricing.	Optional	Optional	0	
Additional QA data	4	AlphaN	349	352	Additional QA parameters.	Optional	Optional	0	
For local use	250	AlphaN	353	602	Data string which can be used for local purpose and be used differently. Cannot be used for EasyGo unless otherwise decided.	Optional	Optional	0	
Context mark	12	AlphaN	603	614	ContractProvider+ TypeOfContract+ ContextVersion 3+2+1 bytes represented as 6+4+2 in Hex e.g. "C04001"+"0004"+"01" = "C04001000401"	Mandatory	Optional/ Mandatory for EasyGo+		
OBE ID	18	AlphaN	615	632	3+2+4 bytes represented as 6+4+8 characters in Hex e.g. ASFINAG "C04001"+"001D"+"07900108" = "C04001001D07900108" , e.g. Storebælt "978003" + "0003" + 120002AD" = "9780030003120002AD" .Equipment ID BroBizz value in Atr. ID 24 from the application element.	Mandatory	Optional/ Mandatory for EasyGo+		L
TSPAuthenticator	8	AlphaN	633	640	TSPAuthenticator is calculated during transaction by the OBE	Mandatory =0	Optional/ Mandatory for Security level 1	0	L
RNRSE	8	AlphaN	641	648	Random number provided by the RSE for the calculation of the TSP Authenticator	Mandatory =0	Optional/ Mandatory for Security level 1	0	L
KEYREF for TSP key	3	AlphaN	649	651	Reference to the key used during calculation of the TSPAuthenticator	Mandatory =0	Optional/ Mandatory for Security level 1	0	
Invoice transaction aggregation number	16	Numeric	652	667	To link several lines as one transaction ( Mandatory if lines are to be linked to one transaction)	Mandatory	Optional/ Mandatory		
UTC time stamp	14	Numeric	668	681	Needed in Austria. Format aggregated line (E1/T1): YYYYMMDD000000 Detailed line (C/D/R/S) YYYYMMDDHHmmss	Mandatory =Date	Mandatory		
TC-transaction identification	16	AlphaN	682	697	TC shall fill in information to identify the transaction or identify transaction lines which shall be seen as one transaction. E.g. When Cx/Dx are part of the same transaction they have the same number. When discount or corrected price result in several lines they must be identified with the same number.	Mandatory	Mandatory		
External costs Noise	11	Numeric	698	708	Amount of external costs for noise pollution included in the fee. This amount has the number of decimal digits as stated in field "Number of decimal digits"	Optional	Optional	0	
External costs Air	11	Numeric	709	719	Amount of external costs for air pollution included in the fee. This amount has the number of decimal digits as stated in field "Number of decimal digits"	Optional	Optional	0	
Mark-up Special Construction	11	Numeric	720	730	Mark-up Special Constructions Amount of mark up for special constructions included in the fee. This amount has the number of decimal digits as stated in field "Number of decimal digits".	Optional	Optional	0	
Number of decimal digits	1	AlphaN	731	731	The number of decimal digits used in these monetary fields: <ul style="list-style-type: none"> <li>External costs Noise</li> <li>External costs Air</li> <li>Mark-up Special Construction</li> </ul> E.g. "4" for Austria uses 4 decimal digits, Slovenia uses 6.	Mandatory =0	Optional	0	
Emission class (Austria)	6	AlphaN	732	737	Personalized (declared) Emission class as read from OBE during transaction	Mandatory	Mandatory for EasyGo+	0	



Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E1/T1). Body only	Mandatory/ Optional	Value if Nothing	INFO Lane
						=0			
Engine Characteristics	3	AlphaN	738	740	Personalized Engine type as read from OBE during transaction	Mandatory =0	Mandatory for EasyGo+	0	
CO2 (CopValue)	2	AlphaN	741	742	Personalized carbon dioxide emission/pollution value as read from OBE during transaction	Mandatory =0	Mandatory for EasyGo+	0	
VehicleMaxLadenWeight	4		743	746	Personalized Maximum permissible total weight value as read from OBE during transaction	Mandatory =0	Optional	0	
Filler	63	AlphaN	747	809	Reserved for future use, filled with Zeros	Mandatory =0	Mandatory	0	
End of record	1	AlphaN	810	810	End of line	Mandatory	Mandatory		
Footer									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer,	-	Mandatory		
Total amount	15	Numeric	2	16	In the smallest unit, e.g. euro cents if euro is the currency (Fee VAT included)	-	Mandatory		
Filler	90	AlphaN	17	106	Reserved for future use, filled with Zeros	-	Mandatory	0	
End of Footer	1	AlphaN	107	107	End of line	-	Mandatory		

## 1.2 Codes for type of transits

The following codes for the field: "Type of transit" in the Transit detail file is described below:

Code	aggregated transaction	Text	Detailed description
	E1	Aggregated debit transaction	All codes of debit transactions
"C1 – D1"		Normal Transits Charges	OBE transaction registered by RSE
"C2 – D2"		Manually Taken Transits	Keyed in at roadside as fall back solution.
"C3 – D3"		Corrected Amounts Charges	OBE transaction that has been previously transferred but with an incorrect amount. The amount in this "C3"-record is the correct amount to be charged. The previous transaction is Credited by "R2"
"C4 - D4"		Virtual transits Charges, Transits to operator in Norway	To be used for virtual transactions (i.e. used by ASFINAG). Transits for passages without agreement (intern in Norway only)
"C5 - D5"		No Entry Data (Most Expensive Transit)	For closed toll system: The transaction has no toll station entry registration and is therefore charged max. amount.
"C6 – D6"		Incomplete transactions	A transaction that is not registered completely by RSE. These transactions are to be considered in the KPI. If the transaction can be restored in the CS, the three fee fields will be filled with the amount due and shall be stated on the invoice to the SU. If the transaction can't be restored due to missing information the three fee fields will be filled with 0 and shall not be stated on the invoice to the SU. Any missing information shall be stated with "NA" in a mandatory AlphaN field or filled with 9 in a mandatory numeric field

"C7 – D7"		"Converted" transit	A transaction that is not registered as an accepted OBE transaction by RSE, and therefore handled as a violation. Transit is later connected to a customer account/OBE manually after customer claim. Also used for retroactive payments in Austria.
"C8 – D8"		Manually taken transits taken at CS	A transaction that is not registered at all by RSE but derived from a video picture by the TC based on the licence plate in the HGV list. If the three fee fields are filled with an amount due the transaction shall be stated on the invoice to the SU. If the three fee fields are filled with 0 the transaction shall not be stated on the invoice to the SU.
	T1	Aggregated credit transaction	All codes of credit transactions
"R2 – S2"		Amounts Refunds	Used to credit a charged price. (New correct price "C3,D3" )

The Cx, Dx and E1 codes of debit and Rx, Sx and T1 codes of credit transactions are used as follows:

1) All information regarding a transaction can be given in one line (including VAT)

In these cases only the code Cx is used for debit transactions and the code Rx is used for credit transactions.

2) Information regarding a transaction with mixed VAT rates shall be divided in several lines to cover the different VAT rates for each part of the transaction

In these cases there will be one record with the code Cx and additional record(s) with the code Dx containing the parts of the transaction with different VAT to be represented as separate lines on an invoice.

i.e. 100€ with 20% VAT, 10€ with 10% VAT and 5€ with 5% VAT

Type of transit	Fee (VAT excluded)	Amount of VAT	Applied VAT rate
C1	10000	2000	2000
D1	1000	100	1000
D1	500	25	0500

The key to link associated Cx and Dx transactions is the field "TC-transaction identification". If - as for the limited parties (Until end of October 2016) The key to link associated transactions is the combination of the following fields with identical values for

- "Exit Station – Actor ID"
- "Exit Station – Station Code"
- "Entry Station – Actor ID"
- "Entry Station – Station Code"
- "Lane Identification"
- "Date and time of the exit transit"

The codes Rx and Sx are used for crediting a transaction in the same manner. (All records of a transaction with mixed VAT shall be credited together).

3) Information regarding the transactions shall be divided due to aggregated VAT calculation or only one aggregated amount should be charged per day.

All Billing details of an open system for the same OBE, VAT rate and calendar day are aggregated into a single aggregate and a unique identifier (Reference number) for each aggregate is generated. This reference number is associated to the generated aggregate (E1-record) and the Billing details (Cx-records) it is stemming from in the field "Invoice transaction aggregation number". Both types of records will be transmitted in the Billing details file (TIF) as they are needed for different purposes. The Cx-records contain all technical information (e.g. Authenticators, exact location of the transaction ...) and the field "Fee (VAT included)" shall be filled with 0. The E1-records only contain information relevant for the bookkeeping systems.

The codes Rx, Sx and T1 are used for crediting such transactions. (All records of such a transaction shall be credited together).

C1 and C2 records are made by the RSE,

C3/D3 – C9/D9 records are made by the CS (Back office).

D1 and D2 records are either made by the RSE or the CS

E1 records are always made by the CS.

# 1.3 TIC (TIF Confirmation) file

## 1.3.1 Description

Each time a TSP receives a new Transits Information File (TIF list) from a specific TC the structure and the content of the file are checked and a confirmation list (Transits Information Confirmation or TIC) is produced and sent back in a file. One TIC list is produced for each TIF list from the TC. This file also contains the transactions, which are refused by the TSP. The name of the file and list follows the same principle. But depending of the receiver or content the name of the receiver is included in the filename if necessary to ensure the unique identity.

Each TIF list shall be confirmed by one and only one TIC list. The header of each TIC list contains the name of TIF list and receiver which identifies the TIF list is related to.

TSP:

Format of filename           TICxxxxxxxyyyymmddssss\_zzzzzz\_vvvvvv (35 characters)

Format of list name           TICxxxxxxxyyyymmddssss (21 characters)

Where is

xxxxxx = Identifier of the sender of the Transit Information Confirmation File (6 characters), that means the Actor ID of the TSP

yyyy = Year (4 characters) of production of the file

mm = Month (2 characters) of production of the file

dd = Date (2 characters) of production of the file

ssss = Sequence within the day (sequential number increased separately for each file/list per each sender/receiver combination per day starting with 0001)

zzzzzz = Identifier of the receiver of the Transit Information File (6 characters)

vvvvvv = Version name

The TIC file will, in case of no rejected transits only, be composed by the header and footer.

The lists contained in the file are sent by TSP to TC to indicate which Transits Information File / List they have received, the format correctness and the date and time of reception.

The lists are included into a file in the same way, following the same principles, as described for Transit Information File.

The records have the same format as the transits sent by the TC with the exception of the inclusion of a new data element (Reason of rejection) to indicate the reason for the TSP to reject the transit. Result of the control shall be the last 2 digits in this file.

In case of rejection of the total file at the EasyGo HUB, it shall be sent again with a new name and the rejected file/list shall be marked as cancelled.

### 1.3.2 Format TIC (TIF confirmation) (Version 130001)

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E). Body only	Mandatory/Optional	Value if Nothing
Header								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer,		Mandatory	
Sender Identifier	6	AlphaN	2	7	6 digits Actor ID identifier of the Company (TSP) having sent this file. The issuer who will invoice the customer.		Mandatory	
Receiver Identifier	6	AlphaN	8	13	6 digits Actor ID identifier of the TC (Company having received this file).		Mandatory	
File Sequence	21	AlphaN	14	34	TICxxxxxxxxxymddssss		Mandatory	
File Received	21	AlphaN	35	55	TIFxxxxxxxxxymddssss		Mandatory	
Date of reception	14	Numeric	56	69	Timestamp (UTC) when receiver received the file in "File Received" (YYYYMMDDHHmmss)		Mandatory	
Currency	3	AlphaN	70	72	Currency coding. ISO 4217 Currency Codes		Mandatory	
Number of accepted records in body	15	Numeric	73	87	(Number of accepted lines in body) AutoPASS: When "file acceptance=99" the value will be 0		Mandatory	
Number of rejected record in body	15	Numeric	88	102	(Number of rejected lines in body)		Mandatory	
Credit/Debit	3	AlphaN	103	105	State the contents of the lines (All lines in the body is either credit or debit) Value to be used: CRE/DEB		Mandatory	0
Number of accepted transactions	15	Numeric	106	120	In case of more than one line per transaction the number of transaction shall be stated		Optional	
Number of rejected transactions	15	Numeric	121	135	In case of more than one line per transaction the number of rejected transaction shall be stated		Optional	
List format version	6	AlphaN	136	141	The value to be filled in is defined above. This will allow actors for individual time schedules for updating of systems.		Mandatory	
Number of TIC from TC	6	Numeric	142	147	For internal use in TC's solutions in Norway. Starts with 000001 every day.		Optional	0
Filler	46	AlphaN	148	193	Reserved for future use, filled with Zeros		Mandatory	0
File Acceptance	2	Numeric	194	195	00: Full acceptance (all records OK) 01: Partial acceptance 02: No total - transaction file is rejected because the same file name is previously received. 03: Not accepted total - Transaction file is rejected because the field "number of records or transactions" in header is not corresponding to the number of records or transactions in body 04: Not accepted total - Transaction file is rejected because total claimed amount in footer is not corresponding to the summarized amounts for each transaction 05: Total Transaction file is rejected because of Miscellaneous. 99 AutoPASS: TC repricing		Mandatory	
End of header	1	AlphaN	196	196	End of line		Mandatory	
Body								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory **	
Copy of TIF body line	808	AlphaN	2	809	In case of rejected body line the line between Register Identifier and End of Record from the TIF list is copied and inserted in this position		Mandatory **	
Reason of rejection EasyGo	2	AlphaN	810	811	Indicates the reason to reject the transit: "00" AutoPASS: When "file acceptance = 99" the value is 00 "01" Transaction has an OBE ID that is registered not valid at the time of passing. (Included in the NAT list) "02" Transaction is too old, that means sent to TSP later than the time limit for clearing		Mandatory **	0

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E). Body only	Mandatory/Optional	Value if Nothing
					"03" Transaction is not from a user with an EasyGo contract from actual Issuer. OBE not inside valid interval on the AIT list. "04" Wrong weight class. "05" Incorrect fuel class "06" Transaction is previously registered within a too short time interval on the same station, i.e. 4-minute-filter or by resending "07" Transaction contains a passing time outside the contract validity period – "08" Transaction has not a legal Toll Station/lane Identification "09" Transaction record has not a valid format "10" Incorrect Euro Class "11" Authentication failure – transaction not accepted only performed if agreed between TC and TSP (i.e. EN 15509 OBE according to security level 1) "12" Reserved for future use "13" Transaction is sent for cancellation or correction, but is not found in TSP transaction register "14" Data has been sent previously (*) "15" Transaction has an OBE ID that is not registered for a user of the TSP "16" Amount in Ex-record differs from sum of amounts of Cx-records with the same reference number "17" Marks the lines (Cx or Rx) in a rejected E transaction which is correct and only rejected due to other lines with failure "18" Miscellaneous			
End of record	1	AlphaN	812	812	End of line		Mandatory **	
Footer								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer		Mandatory	
Total amount Accepted	15	Numeric	2	16	In the smallest unit, e.g. euro cents if euro is the currency (fee VAT included)		Mandatory	
Total amount Rejected	15	Numeric	17	31	In the smallest unit, e.g. euro cents if euro is the currency (fee VAT included) In case of a Total Rejection of a TIF file due to reason "04" (Not accepted total – Transaction file is rejected because total claimed amount in footer is not corresponding to the summarized amounts for each transaction) the Total Amount Rejected in the TIC's footer shall have the same value as the Total Amount of the footer of the rejected TIF file.		Mandatory	
Filler	96	AlphaN	32	127	Reserved for future use, filled with Zeros		Mandatory	
End of Footer	1	AlphaN	128	128	End of line		Mandatory	

(1) Key to identify a transaction uniquely for duplicate check ("14 - Data has been sent previously") is:

- a. "TC-transaction identification" or
- b. combination of
  - o "Exit Station – Actor ID"
  - o "Exit Station – Network Code"
  - o "Exit Station – Station Code"
  - o Date and time of the exit transit
  - o "Entry Station – Actor ID"
  - o "Entry Station – Network Code"
  - o "Entry Station– Station Code"
  - o "OBE ID"
  - o "PersonalAccountNumber"

- "Type of Transit".

However, type of transit C1 and C8 will be considered identical when checking for alternative b). When a duplicate C1 and C8 is found any one of the two transits can be rejected (14). Besides for parking the Entry Station data is currently not used.

(2) Only in case of a partial acceptance the rejected body line/s shall be included. It shall include all lines in a file stating the individual reason of rejection for each of the lines Note that in case all lines in a valid TIF list are rejected with a reason it will be marked as a partial rejection.

(3) In case of total rejection of a TIF file ("Not accepted total") the corresponding TIC file shall not contain any bodylines.



## **4.3 AutoPASS Formats**

Appendix A8 – Transaction File





## 4.3 AutoPASS Formats

Appendix A9 – Picture File



## **4.3 AutoPASS Formats**

Appendix A10 – Picture text File



## 4.3 AutoPASS Formats

### Appendix A11 – Tariff File

## DOCUMENT STATUS

<b>Document number:</b>	4.3 AutoPASS Data Formats Appendix– A11
-------------------------	---

<b>Status</b>	<b>Version</b>	<b>Description</b>
Final	1.0	4.3 Appendix A11

<b>Authorisation</b>	<b>Name</b>	<b>Date</b>	<b>Signature</b>
Author	Per Einar Pedersli	08.06.2017	
Norwegian Public Roads Administration	Kåre Inge Viken		

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.06.2017	Per Einar Pedersli	New document
1.1	08.10.2018	Kåre Inge Viken	New page 1

## Table of contents

DOCUMENT STATUS.....	2
1   TARIFF FILE .....	4
1.1 <i>Tariff file description</i> .....	4
1.2 <i>File Header description</i> .....	4
1.3 <i>Body description</i> .....	4
1.4 <i>Footer description</i> .....	6
1.5 <i>File examples</i> .....	6

# 1 Tariff file

## 1.1 Tariff file description

This file is produced by the CS based on information from the TSP.

Format of filename                      A\_tarifffile\_OOOOOO\_YYYYMMDD\_SS.dat

OOOOOO = Operator code

YYYY = Year (4 characters)

MM = Month (2 characters)

DD = Date (2 characters)

SS = Sequence number from 0-99, incremented for each Tariff File produced by the CS for this operator's Charging Points. The file is placed by the CS on the Data Concentrator for this Toll project. SS is reset to 0 after 99.

.dat = extension

## 1.2 File Header description

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
Header							
Record type	1	Numeric	1	1	"4"=Start record		
Filler	1	AlphaN	2	2	Blank		
Date of creation	14	Numeric	3	16	YYYYMMDDHHMMSS.		
End of line	1	AlphaN	17	17	End of line		
Record type	1	Numeric	1	1	"2"=Valid from Date		
Filler	1	AlphaN	2	2	Blank		
ValidFromDate	12	Numeric	3	14	YYYYMMDDHHMM		
End of Header	1	AlphaN	15	15	End of line		

## 1.3 Body description

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
Record type	1	Numeric	1	1	"1"=Body		
Filler	1	AlphaN	2	2	Blank		
CP ID	3	AlphaN	3	5	A unique number for every Charging Point. This number is used to differentiate prices regarding the Charging Points. The field can contain *, which can mean all CPs.		
Filler	1	AlphaN	6	6	Blank		
LaneID	2	AlphaN	7	8	A unique number for every lane at a CP. The number is used to differentiate prices regarding lanes. The field can contain *, which means all lanes.		
Filler	1	AlphaN	9	9	Blank		
LaneType		AlphaN	10	*	Indicates which type of lane the price is valid for.		

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
					<b>See 4.3 appendix B1Table 9</b> "*" = All LaneTypes If more than one LaneType then "," (comma) separates the values.		
Filler	1	AlphaN	*	*	Blank		
VehicleClass	2	AlphaN	*	*	Defines the class for the payment. <b>See 4.3 appendix B1Table 3</b>		
Filler	1	AlphaN	*	*	Blank		
Weekday	1	AlphaN	*	*	Used to indicate which days the price is valid for, in such a way that it is possible to differentiate between weekdays and weekends. The days are numbered like this: "0" = Sunday "1" = Monday .. "6" = Saturday "*" = All days If more than one day then "," (comma) separates the values.		
Filler	1	AlphaN	*	*	Blank		
Month	2	AlphaN	*	*	Used to indicate month. "01" = January "02" = February .. "12" = December "*" = All months  This field, in combination with "Day of month" can be used to differentiate between prices on special days, e.g. May 17 and December 24.		
Filler	1	AlphaN	*	*	Blank		
DayOfMonth	2	AlphaN	*	*	Used to specify special days in month. Two characters are always used to represent "Day of month", i.e. 01, 02, ..., 09, 10, ..., 31. "*" = All days  Is used in combination with Month to differentiate price on special days (see previous paragraph).		
Filler	1	AlphaN	*	*	Blank		
Time	2	AlphaN	*	*	Used to specify hour pr. day to which the different prices are valid from. Two characters are always used to represent "hour" i.e. 00, 01, ..., 09, 10, ..., 23 "*" = All hours		
Filler	1	AlphaN	*	*	Blank		
Min	2	AlphaN	*	*	Used to specify minute within every hour the different prices are valid for. Two characters are always used to represent "min", i.e. 01, ..., 09, 10, ..., 60 "*" = All minutes		
Filler	1	AlphaN	*	*	Blank		
Currency	3	AlphaN	*	*	Abbreviation in capitalized letters which identifies the currency type. The abbreviation is defined in ISO format, see [2]		
Filler	1	AlphaN	*	*	Blank		
Price (In Currency)	12	Numeri c	*	*	Current price for the criterias above. Twelve characters are always used to represent "price", i.e. 000000000001, ..., 000000000999, 000000001000, ..., 999999999999. Price is given in Currency/100.		
End of Record	1	AlphaN	*	*	End of line		

## 1.4 Footer description

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
RecordType	1	Numeric	*	*	"3" = Reconciliation record.		
Filler	1	AlphaN	*	*	Blank		
NumberOfRecords	5	Numeric	*	*	Number of records in price file, reconciliation record excluded. Five characters are always used to represent number of records, 00001, ..., 00099, ..., 99999		
End of Footer	1	AlphaN	*	*	End of line		

## 1.5 File examples

The Price File below is a complete price file for CP 012, lane 01 in "Trøndelag Toll Collection Company". In this file special days like Christmas Eve and May 17 are included. These special days must always be presented in the beginning of the file. The following lines are price differentiation valid for the whole week except the special days. In line 7, a post saying that vehicle class 2 must pay NOK 100 from 22h until 00h.

A future demand for diversified prices for every lane in a road pricing scheme is taken care of by the fact that LaneID is used as a parameter. Every lane will be able to tell whether it is an inbound or outbound lane of a defined zone. That makes it possible to differentiate the price for traffic in different directions.

Contents:	Description:
4 19991102080530	Price file created 1999.11.02 at 8:05:30
2 19991201	The prices below are valid from 1999.12.01
1 012 01 * 1,2 * 12 24 * * NOK 000000000000	Price Record applies for small and large vehicle in lane 01, CP 12, Christmas Eve 1999. Price= 0 NOK, all day.
1 012 01 * 1,2 * 05 17 * * NOK 000000000000	Price Record applies for small and large vehicle in lane 01, CP 12, May 17 1999, whole day, price = 0 NOK
1 012 01 * 1,2 1,2,3,4,5 * * 00 * NOK 000000001000	Price Record applies for small and large vehicle in lane 01, CP 12 all weekdays in 1999, from 00h, price = 10 NOK
1 012 01 * 1 1,2,3,4,5 * * 06 * NOK 000000001200	Price Record applies for small vehicle, all weekdays in lane 01, CP 12 in 1999, from 06h, price = 12 NOK
1 012 01 * 2 1,2,3,4,5 * * 06 * NOK 000000002400	Price Record applies for large vehicle in lane 01, CP 12, all weekdays in 1999, from 06h, price = 24 NOK
1 012 01 * 1,2 1,2,3,4,5 * * 18 * NOK 000000001000	Price Record applies for small and large vehicle in lane 01, CP 12, all weekdays in 1999, from 18h, price = 10 NOK
1 012 01 * 2 1,2,3,4,5 * * 22 * NOK 000000001000	Price Record applies from large vehicle in lane 01, CP 12, all weekdays in 1999, from 22h, price = 100 NOK
1 012 01 * 1,2 0,6 * * 00 * NOK 000000001000	Price Record applies for small and large vehicle in lane 01, CP 12, all weekends in 1999, from 00h, price = 10 NOK
1 012 01 * 1,2 0,6 * * 18 * NOK 000000000800	Price Record applies for small and large vehicle in lane 01, CP 12, all weekends in 1999, from 19h, Price = 8 NOK
1 012 01 * 1,2 0,6 * * 18 * SEK 000000000900	Price Record applies for small and large vehicle in lane 01, CP 12, all weekends in 1999, from 19h, Price = 9 SEK , both currencies are used in this toll lane, see also record above where price in NOK is for the same lane.
3 00011	Reconciliation record, 12 Records in file except reconciliation record.

SS is a sequence number from 0-99, incremented for each Exception file produced by the CPE for this operator. It is reset to 0 after 99.





## **4.3 AutoPASS Formats**

### **Appendix A12 – Exception Messages**

## DOCUMENT STATUS

<b>Document number:</b>	4.3 AutoPASS Data Formats Appendix – A12
-------------------------	--

Status	Version	Description
Final	1.0	4.3 Appendix A12

Authorisation	Name	Date	Signature
Author	Per Einar Pedersli	08.06.2017	
Norwegian Public Roads Administration	Kåre Inge Viken	08.06.2017	

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.06.2017	Per Einar Pedersli	New document

Table of contents

DOCUMENT STATUS ..... 2

1 EXCEPTION MESSAGES ..... 4

1.1 Exception Messages description..... 4

1.2 Exception file ..... 4

1.3 Exception file name ..... 7

# 1 Exception Messages

## 1.1 Exception Messages description

Exception Messages are used for reporting events or status in the system. A status will have two or more possible states. The transition from one state to another changes the status. The change of status is an event that may cause an Exception Message to be generated.

Priorities for Exception Messages in the system are 'fatal', 'alarm', 'error message', 'warning' and 'information'. 'Fatal', 'alarm' and 'error message' signals event/state that either change equipment's ability to operate or some unexpected behaviour that may affect the ability to operate. 'Warning' and 'information' signals event/state that does not have any immediate consequences for the functionality or operability of the system.

## 1.2 Exception file

The content and format of an Exception Message shall be according to the table below.

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
ChargingPoint	3	Numeric	1	3	Charging Point ID where the incident occurred. 000 is used if a message does not concern any station		
Lane	2	Numeric	4	5	Lane ID of traffic lane where the message is valid. 00 is used if the message concerns more lanes or does not concern any lane		
Blank	1	AlphaN	6	6			
Priority	1	Numeric	7	7	The importance of the message. Graded from 1 to 5, see table below..		
Blank	1		8	8			
Time	17	Numeric	9	25	Time when reason for message occurred. Format YYYYMMDDHHMMSSmmm i.e. 20010115102430123 means January 15, 2001 at 10:24:30.123		
DST	3	AlphaN	26	28	Daylight Saving Time, code with 3 characters= DST		
Blank	1	AlphaN	29	29			
ModuleNumber	6	Numeric	30	35	Module Number of the module that generated the message. Together with the CategoryNumber, the ModuleNumber will identify the message unambiguously.		
Blank	1	AlphaN	36	36			
UnitNumber	2	Numeric	37	38	Identifies the type of unit, e.g. Lane Controller, CP main computer. See table below.		
Blank	1	AlphaN	39	39			

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Value if Nothing
CategoryNumber	3	Numeric	40	42	Category number of the Category Type the message belongs to. Together with the ModuleNumber, the CategoryNumber will identify the message uniquely.		
Blank	1	AlphaN	43	43			
Alarm text	Variable	AlphaN	44	*	Written description of an incident. This text is of variable length.		
CarriageReturn	1	AlphaN					

## Priority

Indicates the importance of the message.

Priority of the message:		
<u>Priority</u>	<u>Code</u>	<u>Description</u>
Fatal	1	Irretrievable program error.
Alarm	2	Serious error which can lead to errors or loss of data. Efforts must be started immediately.
Error	3	Something is wrong, but the system is still running. Effort must be done. No immediate risk for more serious errors.
Warning	4	Minor disturbances in the system. Normally, this is handled automatically. Reoccurring warnings can indicate errors.
Information	5	Information message

## UnitNumber

Indicates what type of unit the message is valid for.

Code	Description
1	Charging Point Main computer (PMC)
2	Lane controller (LC)
3	Road Side Unit (RSU)
4	Reserved future use
5	Automatic Coin machine
6	Manual Toll Collection
7	Reserved future use
8	Reserved future use
9	Central System

### 1.3 Exception file name

The name of the Exception File shall be

**ex\_OOOOOO\_YYYYMMDDHHUUCCCLL\_SS.exc**

- O – Operator code (unique identification of toll system operator)
- Y – Year
- M – Month
- D – Day
- H – Hour
- U – Minute
- C - three-digit CP number, ### (if C=000: Data concentrator)
- L - two-digit lane number, ## (if L=00: Exception source is CP, not a lane)
- S – sequence number of Exception file from the Operator

Hour&Minute(HHUU) stand for the hour and minute when the writing of the exception file was done.

SS is a sequence number from 0-99, incremented for each Exception file produced by the CPE for this operator. It is reset to 0 after 99.



## **4.3 AutoPASS Formats**

### **Appendix A13 – ALM Format**



## DOCUMENT STATUS

<b>Document number:</b>	4.3 AutoPASS Data Formats Appendix A13
-------------------------	--

Status	Version	Description
Final	2.1	

Authorisation	Name	Date	Signature
Author	Per Einar Pedersli	02.03.2017	
Norwegian Public Roads Administration	Kåre Inge Viken	10.04.2019	

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	02-03-2017	Per Einar Pedersli	New document
2.0	18-02-2019	Kåre Inge Viken	Corrected description and added description to ALC.
2.1	10.04.19	Kåre Inge Viken	Corrected positions from pos 134-
2.2	14.06.2019	Kåre Inge Viken	Corrected number of characters in Alarm description from 30 to 31

Table of contents

DOCUMENT STATUS ..... 2

1.1 ALM (ALARM TABLE)..... 4

    1.1.1 Description ..... 4

    1.1.2 Format Alarm Table ..... 5

2 FORMAT ALC (ALM CONFIRMATION) ..... 6

    2.1.1 Description ..... 6

    2.1.2 Format Alarm Table Confirmation..... 7

3 ALARM CODE TABLE ..... 8

# 1.1 ALM (Alarm table)

## 1.1.1 Description

This table is produced by the AutoPASS management for sending alarms between actors in AutoPASS

Format of filename        ALMxxxxxxxyyyymmddss\_ zzzzzz\_vvvvvv (33 characters)  
Format of list name:       ALMxxxxxxxyyyymmddss (19 characters)

xxxxxx = Identifier of the sender (6 characters)  
yyyy = Year (4 characters) of production of the file  
mm = Month (2 characters) of production of the file  
dd = Date (2 characters) of production of the file  
ss = Sequence within the day  
zzzzzz = Identifier of the receiver of the File (6 characters)  
vvvvvv = Version name

zzzzzz = The receiver 00000A is used in order to distribute a complete list to all connected TCs and TSPs automatically. The receiver 00000B is used in order to distributed a complete list to all connected TCs automatically. If a filtered list is sent to a specific TC or TSP the ID of the TC or TSP is used as recipient  
vvvvvv = Version name

## 1.1.2 Format Alarm Table

Name	Number of Char.	Type of value	Begin	End	Definition	Origin	Mandatory/ Optional	Value if Nothing	Update req. test. Yes
Header									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
Sender Identifier	6	AlphaN	2	7	Actor ID 6 digits identifier of the Company (or if AutoPASS IP) having created this file and sending the file.		Mandatory		
Receiver Identifier	6	AlphaN	8	13	Actor ID 6 digits identifier of the Company receiving this file. (00000A = all actors receiving this file, 0000B = all TC receiving this file)		Mandatory		
Moment of creation	14	Numeric	14	27	YYYYMMDDHHmmss UTC		Mandatory		
Filler	27	AlphaN	28	54	Reserved for future use, filled with Zeros		Mandatory	0	
End of header	1	AlphaN	55	56	End of line		Mandatory		
Body									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
Alarm code	10	Numeric	2	11	10 digits code according to the alarm code table		Mandatory		
Alarm description	31	AlphaN	12	42	Additional information about the alarm		Mandatory	0	
Actor ID	6	AlphaN	43	48	Actor ID 6 digits identifier of the Company how is the owner of toll equipment the alarm applies to or the company the alarm applies to.		Mandatory	0	
Toll Project ID	6	AlphaN	49	54	If the alarm applies to transactions: 6 digits identifier for the toll project the alarm applies to.		Mandatory	0	
Toll station ID	4	AlphaN	55	58	If the alarm applies to transactions: 4 digits identifier for the toll station the alarm applies to.		Mandatory	0	
Toll lane ID	4	AlphaN	59	62	If the alarm applies to transactions: 4 digits identifier for the toll lane the alarm applies to.		Mandatory	0	
Transaction ID	30	Numeric	63	92	If the alarm applies to a given transaction, AutoPass IP transaction ID		Mandatory	0	
Transaction time	14	Numeric	93	106	If the alarm applies to a given transaction, YYYYMMDDHHmmss UTC		Mandatory	0	
OBE ID	18	Numeric	107	124	If the alarm applies to a given transaction with OBU, OBU number the alarm applies to		Mandatory	0	
License Plate number	10	AlphaN	125	134	If the alarm applies to a given transaction, Vehicle Registration Number the alarm applies to		Mandatory	0	
File/message name	33	AlphaN	135	167	If the alarm applies to a given file transfer, file name the alarm applies to		Mandatory	0	
File/message number	21	Numeric	168	188	If the alarm applies to a given file transfer, File Sequence number the alarm applies to		Mandatory	0	
For later use	150	AlphaN	189	338	Filled in with '0's		Mandatory	0	
End of record	1	AlphaN	339	339	End of line		Mandatory		
Footer									
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory		
Filler	62	AlphaN	2	63	Reserved for future use, filled with Zeros		Mandatory	0	
End of Footer	1	AlphaN	64	65	End of line		Mandatory		

## 2     Format ALC (ALM confirmation)

### 2.1.1   Description

If an alarm are distributed to all actors or all TCs or all TSTs there will be no ALC (ALM confirmation)Format of filename    ALCxxxxxxxxxyyyymmddss\_ zzzzzz\_vvvvvv (33 characters)

Format of list name:        ALCxxxxxxxxxyyyymmddss (19 characters)

xxxxxx = Identifier of the sender (6 characters

yyyy = Year (4 characters) of production of the file

mm = Month (2 characters) of production of the file

dd = Date (2 characters) of production of the file

ss = Sequence within the day

zzzzzz = Identifier of the receiver of the File (6 characters)

vvvvvv = Version name

## 2.1.2 Format Alarm Table Confirmation

Name	Number of Char.	Type of value	Begin	End	Definition	Mandatory info (E). Body only	Mandatory/ Optional	Value if Nothing
Header								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer,		Mandatory	
Sender Identifier	6	AlphaN	2	7	6 digits Actor ID identifier of the Company (TSP) having sent this file. The issuer who will invoice the customer.		Mandatory	
Receiver Identifier	6	AlphaN	8	13	6 digits Actor ID identifier of the TC (Company having received this file).		Mandatory	
Filler	52	AlphaN	14	65	Reserved for future use, filled with Zeros		Mandatory	0
End of header	1	AlphaN	66	67	End of line		Mandatory	
Body								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=Body, "2"=Footer		Mandatory	
File Received	21	AlphaN	2	22	ALMxxxxxyyyymmddss		Mandatory	
Date of reception	14	Numeric	23	36	YYMMDDHHmmss		Mandatory	
End of record	1	AlphaN	37	37	End of line		Mandatory	
Footer								
Register Identifier	1	Numeric	1	1	"0"=Header, "1"=List Body, "2"=List Footer		Mandatory	
End of Footer	1	AlphaN	2	3	End of line		Mandatory	

### 3 Alarm code table

[illegible]



## **4.3 AutoPASS Formats**

Appendix B1 - Tables



## DOCUMENT STATUS

<b>Document number:</b>	4.3 – B1 Tables
-------------------------	-----------------

Status	Version	Description
Final	1.3	

Authorisation	Name	Date	Signature
Author	Kåre Inge Viken	15.04.2019	
Norwegian Public Roads Administration	Vidar Myrbakk	15.04.2019	

## DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.06.2017	Per Einar Pedersli	New document
1.1	14.01.2018	Kåre Inge Viken	Minor corrections
1.2	25.02.2018	Kåre Inge Viken	New signalcode 21 added
1.3	15.04.2019	Kåre Inge Viken	Added tables 17 – 21

# Table of contents

DOCUMENT STATUS .....	2
1 TABLES .....	4
1.1 Table 1 Direction .....	4
1.2 Table 2 Signal code .....	4
1.3 Table 3 Vehicle Class .....	5
1.4 Table 4 Tag Status Flag / Status List Flag .....	5
1.5 Table 5 OBU ID.....	6
1.6 Table 6 OBU Status (Flag code) .....	6
1.7 Table 7 MAC1/MAC2 Status .....	7
1.8 Table 8 Signal Code Bitmap.....	7
1.9 Table 9 Lane Mode.....	8
1.10 Table 10 MMS signal (sound)/ Light Signal Code.....	8
1.11 Table 11 Trailer bit.....	8
1.12 Table 12 AutoPASS Ferry Class.....	8
1.13 Table 13 OBU Manufacturer Id.....	9
1.14 Table 14 Record Type (OBU Status file) .....	9
1.15 Table 15 Type of Contract .....	9
1.16 Table 16 Override.....	9
1.17 Table 17 HGV/TIF values for "Tariff Classification" .....	10
1.18 Table 18 HGV values for "Emission Class" .....	11
1.19 Table 19 HGV values for "Fuel Type" .....	12
1.20 Table 20 Valid Characters for "License Plate Number" .....	14
1.21 Table 21 Allowed non-Latin1 characters and their mapping for LPN .....	15

# 1 Tables

## 1.1 Table 1 Direction|

Code	Description
0	Inbound
1	Outbound
2	Entry-point
3	Exit-point

## 1.2 Table 2 Signal code

Replaced by AP-1.4

### 1.3 Table 3 Vehicle Class

First character

Code	Description
0	No expemption
1	
2	
3	
4	
5	
6	

Second character

Code	Description
0	Unknown
1	Large vehicle
2	Small vehicle
3	Motor cycle
4	Truck L>12,4 meter
5	M1 (Bobil)

### 1.4 Table 4 Tag Status Flag / Status List Flag

Value	Name	Flag	Description
01	Wanted	Bit 0	'Wanted' flag was set in Status File (not in use)
02	Video	Bit 1	'Video' flag was set in Status File (not in use)
04	For future use	Bit 2	
08	For future use	Bit 3	
16	For future use	Bit 4	
32	For future use	Bit 5	

## 1.5 Table 5 OBU ID

OBU ID calculation

OBU ID in ISO			OBU ID coded in OBU
CountryCode	IssuerIdentifier	ServiceNumber	13721939474602230
578	00008	0000219382	

Country Code 578 (ISO) is replaced with Country Code 195 (ITA2 coded NO)

CountryCode:	$195 \times 2^{46} = 13721905114644480$
IssuerCode:	$8 \times 2^{32} = 34359738368$
ServiceNumber:	219382

OBU ID coded in OBU

$13721905114644480 + 34359738368 + 219382 = 13721939474602230$

## 1.6 Table 6 OBU Status (Flag code)

Code	Description	Flag
00001	For future use = 0	bit 0
00002	For future use = 0	bit 1
00004	For future use = 0	bit 2
00008	For future use = 0	bit 3
00016	For future use = 0	bit 4
00032	For future use = 0	bit 5
00064	For future use = 0	bit 6
00128	For future use = 0	bit 7
00256	For future use = 0	bit 8
00512	For future use = 0	bit 9
01024	For future use = 0	bit 10
02048	For future use = 0	bit 11
04096	For future use = 0	bit 12
08192	Low battery voltage	bit 13
16384	For future use = 0	bit 14
32768	Moved	bit 15

## 1.7 Table 7 MAC1/MAC2 Status

Code	Description
0	Not checked
1	Checked, approved
2	Checked, not approved

## 1.8 Table 8 Signal Code Bitmap

Value	Flag	Name	Description
00000001	Bit 1		Green signal (Approved passage)
00000002	Bit 2		White signal (Low Balance passage)
00000004	Bit 3		No signal (no OBU/no valid contract)
00000008	Bit 4		OBU not detected
00000016	Bit 5		OBU not defined
00000032	Bit 6		OBU not authenticated
00000064	Bit 7		OBU not read
00000128	Bit 8		Missing trigger from detection system
00000256	Bit 9		
00000512	Bit 10		OBU reading unconfirmed
00001024	Bit 11		
00002048	Bit 12		0=CPE reading;
00004096	Bit 13		History CPE inoperative
00008192	Bit 14		History network inoperative
00016384	Bit 15		
00032768	Bit 16		Video taken of the passage
00065536	Bit 17		
00131072	Bit 18		
00262144	Bit 19		
00524288	Bit 20		
01048576	Bit 21		
02097152	Bit 22		
04194304	Bit 23		
08388608	Bit 24		
16777216	Bit 25		
33554432	Bit 26		

## 1.9 Table 9 Lane Mode

Code	Description
00	Unknown
01	AutoPASS
02	Manual
03	Coin
04	Free passage
05	Closed
06	
07	
08	Opposing direction

## 1.10 Table 10 MMS signal (sound)/ Light Signal Code

Code	Description	Comment
02	MMS 1/(Green light) or no signal	Approved Passage /Valid contract
10	MMS 2/(White light) or no signal	Low balance passage
20	No signal	No valid Contract / no OBU

## 1.11 Table 11 Trailer bit

Code	Description
0	No trailer
1	Trailer detected

## 1.12 Table 12 AutoPASS Ferry Class

Code	Description
0	Unknown, default if not in use
1	Small vehicle, length =< 6m
2	Medium vehicle, length >6m =< 8 m
3	Large vehicle , length >8m =< 10 m)
4	Large vehicle (>10m=< 12 m)
5	Large vehicle (>12m =< 14 m)
6	Large vehicle (>14m=< 17,5 m)
7	Large vehicle (>17,5m=< 19,5 m)
8	Large vehicle (>19,5m =< 22 m)

Code	Description
9	Large vehicle (>22 m)

### 1.13 Table 13 OBU Manufactor Id

Code	Description
00001	Kapsch, Austria
00003	Kapsch, Sweden
00006	Q-Free, Norway
00027	Fenrits, Norway
00032	Lyng, Norway
00042	Norbit, Norway

### 1.14 Table 14 Record Type (OBU Status file)

Code	Description
1	Record for new or updated OBU
2	Record for OBU to be deleted
3	Record for OBU with data that shall be changed. Equivalent with RecordType1
7	Reconciliation record, last record in file
8	Definition Record for file with incremental upgrading
9	Definition Record with full upgrading

### 1.15 Table 15 Type of Contract

Code	Description
1	Prepaid- or post paid contract
2	Annual Contract (not presently in use)
3	Half-Year Contract (not presently in use)
4	Monthly Contract (not presently in use)
6	Free Passages Contract

### 1.16 Table 16 Override

Code	Description
0	Status on contract is determined on the basis of validity and balance.
1	Passage is handled on the basis of value in the field SignalCode.



1.17 Table 17 HGV/TIF values for “Tariff Classification”

EasyGo Tariff Classification in HGV/TIF	EN15509 European Vehicle Group (Byte 1)	EasyGo Local Class (Byte 2)

Replaced by  
table in  
AP-3.1

### 1.18 Table 18 HGV values for “Emission Class”

Euro emission Classes – Entry in HGV	Euro Emission Classes – Code in OBE
0 (Meaning no information / entry)	0
Euro1	1
Euro2	2
Euro3	3
Euro4	4
Euro5	5
EEV	15 (coded as F HEX)
Euro6	6

Table 18 - HGV Values for "Emission class"

Vehicles without Combustions engines, e.g. vehicles with type of engine “batteries” must be personalized as Euro Emission Class “0” (meaning no information / entry)

Vehicles with Combustions engines older than 01.10.1993, must be personalized as Euro1 in order to allow a temporary assignment for Toll Charger, in case the Engine Characteristics is not implemented at the RSE.

**Table 19 HGV values for “Fuel Type”**

Fuel Type in TSP Product Code Usage for Norway (HGV only)		Engine Characteristics According ISO 14906:2011 and *ISO 14906:2018/DAmD1:2019 (HGV and OBE)	
Fuel Type	Description	Description	Engine Characteristics
09	Other fuel (if fuel type is not known, or not in list, use this as default)	No Entry	00
		No Engine	01
01	Gasoline	Petrol Unleaded	02
01	Gasoline	Petrol Leaded	03
02	Diesel	Diesel	04
04	Gas	LPG	05
05	Electric	Battery	06
05	Electric	Solar	07
		Hybrid	08
06	Hydrogen	Hydrogen	09
		* Multi-fuel engine	10*
		* bivalent-petrol-LPG -- bivalent operating engine with petrol or liquefied petroleum gas	11*
		* bivalent-petrol-CNG -- bivalent operating engine with petrol or compressed natural gas	12*
		* combined-petrol-electric -- combined operation with petrol and electric engine	13*
		* CNG -- compressed natural gas	14*
		* LNG -- liquified natural gas	15*
		* combined-diesel-electric -- combined operation of diesel and electric engine	16*
		* combined-hydrogen-electric -- combined operation of hydrogen and electric engine	17*
		* bivalent-hydrogen-petrol -- bivalent operating engine with hydrogen or petrol	18*
		* bivalent-hydrogen-petrol-electric-engine -- bivalent operating engine with hydrogen or petrol combined with electric engine	19*
		* fuel-cell-hydrogen -- fuel cell with hydrogen as primary energy source and electric engine	20*
		* fuel-cell-petrol -- fuel cell with petrol as primary energy source and electric engine	21*
		* fuel-cell-methanol -- fuel cell with methanol as primary energy source and electric engine	22*
		* fuel-cell-ethanol -- fuel cell with ethanol as primary energy source and electric engine	23*
*		* fuel-cell-diesel -- fuel cell with diesel as primary energy source and electric engine	24*
		* combined-multi-fuel-electric-engine -- combined operation of multi fuel and electric engine	25*
		* combined-CNG-electric-engine -- combined operation with compressed natural gas and electric engine	26*
		* combined-LNG-electric-engine -- combined operation with liquified natural gas and electric engine	27*
		* petrol-ethanol -- fuel mix of petrol and mainly ethanol, e.g. E85	28*
		* combined-LPG-electric-engine -- combined operation of LPG and electric engine	29*
07	Gasoline Hybrid	* hybrid-petrol-external-battery -- hybrid drive with petrol and external chargeable battery (plug-in hybrid)	30*
08	Diesel Hybrid	* hybrid-diesel-external-battery -- hybrid drive with diesel and external chargeable battery (plug-in hybrid)	31*
		* hybrid-LPG-external-battery -- hybrid drive with LPG and external chargeable battery (plug-in hybrid)	32*

		* hybrid-hydrogen-external-battery -- hybrid drive with hydrogen and external chargable battery (plug-in hybrid)	33*
		* hybrid-multi-fuel-external-battery -- hybrid drive with multi fuel and external chargable battery (plug-in hybrid)	34*
		* hybrid-CNG-external-battery -- hybrid drive with compressed natural gas and external chargable battery (plug-in hybrid)	35*
		* hybrid-LNG-external-battery -- hybrid drive with liquified natural gas and external chargable battery (plug-in hybrid)	36*
		* hybrid-bivalent-hydrogen-petrol-external-battery -- hybrid drive with bivalent operating hydrogen and petrol engine and external chargable battery (plug-in hybrid)	37*
		* hydrogen-CNG -- fuel mix of hydrogen and compressed natural gas	38*
		* hydrogen-LNG -- fuel mix of hydrogen and liquified natural gas	39*
		* hybrid-hydrogen-CNG-external-battery -- hybrid drive with hydrogen and compressed natural gas and external chargable battery (plug-in hybrid)	40*
		* hybrid-hydrogen-LNG-external-battery -- hybrid drive with hydrogen and liquified natural gas and external chargable battery (plug-in hybrid)	41*
		* ethanol -- ethanol or fuel mix of ethanol and other fuel (except petrol) or additives, e.g. E95	42*
		* hybrid-fuel-cell-hydrogen -- hybrid drive with fuel cell (electric engine) and hydrogen (combustion engine)	43*
		* hybrid-fuel-cell-hydrogen-external-battery -- hybrid drive with fuel cell (electric engine) and hydrogen (combustion engine) and external chargable battery (plug-in hybrid)	44*
		* dual-fuel-LNG-diesel -- dual operation with LNG and diesel	45*
		* electric-external -- electric engine with external power supply	46*
		* biogas -- mixture of different gases produced by the breakdown of organic matter	47*
10	Bio Diesel	* bioDiesel -- vegetable oil- or animal fat-based diesel fuel	48*
11	Bio Gasoline	* bioPetrol -- petrol fully or partly based on vegetable sources	49*
		* bivalent-petrol-biogas – bivalent operating engine with petrol or biogas	50*
		* combined-biogas-electric-engine – combined operation of biogas and electric engine	51*
09	Other fuel (if fuel type is not known, or not in list, use this as default)	* Other	52*
03	Paraffin		

Table 19 - HGV Values for "Fuel Type" (used for "TSP product code") and "Engine Characteristics"

\* according to proposal of ISO 14906:2018/Amd1:2019

## 1.20 Table 20 Valid Characters for "License Plate Number"

ISO/IEC 8859-1																
	x0	x1	x2	x3	x4	x5	x6	x7	x8	x9	xA	xB	xC	xD	xE	xF
0x	Not in use															
1x																
2x	SP	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
3x	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
4x	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
5x	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
6x	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
7x	p	q	r	s	t	u	v	w	x	y	z	{		}	~	
8x	Not in use															
9x																
Ax	NBSP	ı	ç	£	¤	¥	¦	§	¨	©	ª	«	¬	SHY	®	—
Bx	°	±	²	³	´	µ	¶	·	,	ı	º	»	¼	½	¾	¿
Cx	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
Dx	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
Ex	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
Fx	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

Table 20 - Valid Characters for "License Plate Number" (marked blue)

## 1.21 Table 21 Allowed non-Latin1 characters and their mapping for LPN

License Plate Character	Unicode Code Point	Mapped Latin1 Character
A to Z	U+0041 to U+005A	not mapped
0 to 9	U+0030 to U+0039	not mapped
Ä	U+00C4	not mapped
Ö	U+00D6	not mapped
Ü	U+00DC	not mapped
À	U+039B	a
Б	U+042A	b
С	U+010C	c
Д	U+0414	d
Е	U+0401	e
Ф	U+042D	f
Г	U+0413	g
Ь	U+042C	h
Ч	U+0427	i
Й	U+0419	j
З	U+0417	k
Л	U+041B	l
Щ	U+0429	m
И	U+0418	n
Ф	U+0424	o
П	U+041F	p
Ы	U+042B	q
Я	U+042F	r
Š	U+0160	s
Ю	U+042E	t
Ц	U+0426	u
В	U+0411	v
Ш	U+0428	w
Ж	U+0416	x
У	U+0423	y
Ž	U+017D	z
Ð	U+00D0	ä
Č	U+0106	ü

Table 21 - Allowed non-Latin1 characters (column 1) and their mapping for "Vehicle License plate Number" The mapped character in column 3 is the value to be included in the OBE and the HGV list.



## **4.3 AutoPASS Formats**

### **Appendix C5 – External Image Handler**

# DOCUMENT STATUS

Document number:	4.3 – C5
------------------	----------

Status	Version	Description
Final	1.0	4.3 Appendix C5

Authorisation	Name	Date	Signature
Author	Per Einar Pedersli	08.06.2017	
Norwegian Public Roads Administration	Kåre Inge Viken		

# DOCUMENT REVISION HISTORY

Version	Date	Author	Main changes
1.0	08.06.2017	Per Einar Pedersli	New document



Table of contents

DOCUMENT STATUS ..... 2

1 EXTERNAL IMAGE HANDLER INTERFACE ..... 4

1.1 Description ..... 4

# 1 External image handler interface

The interface for the external image handler will be between AutoPASS IP and the external image handler. The purpose of the interface is to make the image passages and all necessary data available for the external image handler, and to update AutoPASS IP with the registration number and country code of the vehicle. The technical interface between AutoPASS IP and the external image handler will be defined in the solution specification phase of AutoPASS IP.

## 1.1 Description

All passages that include one or more image must be made available for external image identification through the external image handler interface.

In addition to the actual image(s) of the passage some passage information must also be available for the external image handler. Also the white list should be made available for the external image handler.

Data	Description
Passage ID	Unique ID generated by AutoPASS IP
Image ID	Unique image ID generated by AutoPASS IP
Toll collector	Toll collector ID
Roadside OCR result and confidence	Some toll stations includes the roadside OCR result and confidence level in the passage data. Contractor can use this information for additional verification.
Identification status	AutoPASS IP shall indicate whether other identification information exists for the actual passage, e.g. OBE id. The external image handler can use this information to avoid for instance manual identification of a passage with OBE id available.

There can be one or more external image handlers, but each toll collector will only have one external image handler.

The external image handler will identify the license plate and country code of the passage and provide this information to AutoPASS IP. The external image handler will provide AutoPASS IP with a classification code for unidentified passages.

Unidentified id	Description
1	No valid vehicle in image
2	License plate unreadable
3	



# Transaksjonsformat 4.3 for ferje Appendix A

11. mai 2017

14:10



## **AutoPASS – Requirement specification**

### **4.3 Appendix A – Transaction File AutoPASS Ferry**

## DOCUMENT STATUS

<b>Document number:</b>	4.3 Appendix A
-------------------------	----------------

<b>Status</b>	<b>Version</b>	<b>Description</b>
Final	1.0	Part of the tender documents

<b>Authorisation</b>	<b>Name</b>	<b>Date</b>	<b>Signature</b>
Author	Per Einar Pedersli	06.07.2016	
Norwegian Public Roads Administration	Fritjof Dypveit	06.07.2016	

## DOCUMENT REVISION HISTORY

<b>Version</b>	<b>Date</b>	<b>Author</b>	<b>Main changes</b>
1.0	06.07.2016	Per Einar Pedersli	New document

## Table of contents

DOCUMENT STATUS.....	2
DOCUMENT REVISION HISTORY.....	3
THE OBJECTIVES OF THIS DOCUMENT.....	3
DEFINITION.....	4
REFERENCES.....	4
1 INTRODUCTION.....	5
2 SYSTEM OVERVIEW.....	6
3 TRANSACTION FILE CONTENT.....	7
4 TRANSACTION FILE FORMAT.....	10

## Document Revision History

Version	Date	Author	Main changes
1.0	06.07.2016	Per Einar Pedersli	First edition

## The objectives of this document

This document provides a specification of interface between ferry ticketing system and back office central system. The i combine both autoPASS OBU transactions and autoPASS card transactions (manual system).

This document will be an appendix to the requirements in 4.3 - AutoPASS CPE Specification, Interface Road side-CS.

## Definition

Toll Charger	The term used in EasyGo for an entity operating a toll domain (including RSE)
Toll Service Provider	The term used in EasyGo for an entity issuing OBE to Service Users
Sentral Tjenesteleverandør	Receiver of transactions file and operate all local customer agreements.
CP	Charging point (Roadside), used for OBU reading
TM	Ticket Machine, used for autoPASS Card reading. Might also be integrated with a mobile OBU reader

## References

- [1] HBv821 XML transaksjonsformat for fergesektoren
- [2] Ferjekortspesifikasjon\_profilerkoder og produkter ver 1 0




## **1 Introduction**

NPRA will in large scale deploy AutoPASS system for use by the ferry operators. Due to a more complex tax system and integration with use of autoPASS card transactions there is need for a new definition of the transaction file. The purpose of the new transaction file is to combine traditional autoPASS system with manual transactions in such a way that all information needed to do the services is a part of the transaction. The roadside system must include information to make pricing possible. Both the manual system and autoPASS system will send information to the back office system operator for pricing, discount calculations, updating local agreements, exchange data to EasyGo and to the ferry companies (statistics). See chapter 2 for system overview.

## 2 System overview

### Transaction flow



Transaction file defined in this document is generated at the Toll charger (Ferry company) by use of Ticket machine , Mobil OBU reader or Roadside OBU reader. Payment mean is either an OBU or an AutoPASS card. The files is sent to the back office system (Sentral Tjenesteleverandør, see red lines in figure above).

For OBU transactions there will be a pricing and charging process in the back office system. OBU transactions will charge customers local agreement or sent to a foreign issuer, same procedures as autoPASS system for road Tolling. AutoPASS transactions will charge the customers local agreement.

### 3 Transaction content

The new transaction file is a combination of information from autoPASS OBU passings and autoPASS Card passings.

All of this information is combined into one file structure, see table below.

<b>Vegkant-installasjon</b>			<b>Billettmaskin</b>
Ferjesamband	NetworkID		Ferjesamband
Innkrever for sambandet	ActorID		Innkrever for sambandet
Bomstasjon	StationCode	Lane	
Stasjonær / mobil brikkeleser	DeviceType		Billettmaskin
Mobil brikkeleser	DeviceID		Billettmaskinnummer
<b>Brikke</b>			<b>AutoPASS-ferjekort</b>
Brikkeutsteder	ServiceProviderID		
Brikkenummer	MediaSerialNumberID		Kortnummer
Kundens kontonr på brikken	PanID		
	ProductOwnerID		Kortutsteder, produkteier, 700
	ProductTemplateID		Type: AutoPASS-ferjekort, 6720
	MediaType		Korttype, kontokort,
	ProductCode		Kortklasse, 1, Kr 3300
	ApplicationSequenceNum		Kortets transaksjonsteller
<b>Passering</b>			<b>Passering</b>
Turnummer	TourID		Turnummer
Passeringstidspunkt	Date	Time	Passeringstidspunkt
Fra Kai	EntryID	EntryName	Fra Kai
Til Kai	ExitID	ExitName	Til Kai
Info om tilhenger: pris*2 eller *3	Trailer		
Lyssignal	SignalCode		
Målt lengde (Brutto)	MeasuredLength		
Margin	Margin		
	(Varelinje-info)		
Billettkode nr, navn, antall	ArticleID	ArticleName	NumberOfArticle
	ProfileID		
Kjøretøycl. AP-reg: AP2, AP3, ...	TariffClass		
	ArticlePrice		
>=< 3500 kg	VehicleClass		
	VATrate		
	TransactionValue		
	TicketNumber		
	TransactionStatus		
Benyttet statuslisteverisjon	ValidationFile		
<b>Fil</b>			<b>Fil</b>
Filopprettingsdato	FileCreateDate		Filopprettingsdato

### 3.1 Field description

#### XML-Field

Description: Describe the content of the fields

- Origin: CP-Config : Data from ChargingPoint (Roadside). Same value for all passings.  
 CP: Data generated at Charging Point.  
 CP-StatusFile: Data for each OBU from status File.  
 TM-Config: Data from Ticket machine Same value for all passings.  
 TM: Data generated in Ticket machine, normally manually selected by an operator.  
 OBU: Data received from the EasyGo OBU.  
 Card: Data received from the AutoPASS Card.
- Mandatory: OBU: Field must have a value for EasyGo OBU passing.  
 Card: Field must have a value for AutoPASS Card passing.

XML Field	Definition/Description	Origin
NetworkID	Number of network	CP-Config/TM
ActorID	Toll charger	CP-Config/TM-Config
StationCode	Number of station	CP-Config
Lane	ID for each lane at Roadside	CP
DeviceType	1=Fixed Roadside , 2=Mobile OBU Reader, 3 TicketMachine (AutoPASS Card)	CP-Config/TM-Config
DeviceID	ID for each MobileOBURReader and TicketMachine.	TM-Config
ServiceProviderId	OBU Issuer	OBU
MediaSerialNumberId	OBU Number: CountryCode, IssuerIdentifier and ServiceNumber CardNumber, see [1]	OBU/Card
ProductOwnerID	Identify Card Issuer/productOwner of AutoPASS ferry card. Id= 700= Sentral tjenesteleverandør	Card
ProductTemplateID	ProductTemplateID= 6720	Card
MediaType	Identify type of card, AutoPASS ferry card = 1	Card
ProductCode	Code = 1 , tariffclasses B2-B4 and motorcycles Code = 2 , tariffclasses B5-B8 Code = 3 , tariffclasses B9-B10	Card
ApplicationSequenceNum	Transaction counter number in AutoPASS ferry card.	Card
TourId	CP: predefined tourID's based on time of passing TicketMachine: Uploaded for each FerryTour	CP/TM
Date	Format: yyyy-mm-dd	CP/TM
Time	Format: Thh:mm:ss	CP/TM
EntryID	National registry	CP-Config/TM
EntryName	National registry	CP-Config/TM
ExitID	National registry	CP-Config/TM
ExitName	National registry	CP-Config/TM
Trailer	0=No trailer 1= Trailer detected	CP

XML Field	Definition/Description	Origin
SignalCode	EasyGo OBU : From Status list, 02 or 10	CP-StatusFile
VehicleLenght	Length of vehicle (without trailer)	CP-StatusFile
MeasuredLenght	Total Length (incl. trailer)	CP
Margin	Margin for automatic length measurement, number of cm. MeasuredLenght-Margin -> TariffClass	CP-Config/CP
ArticleID	See [2]	TM
ArticleName	See [2]	TM
NumberOfArticle	See [2]	TM
ProfileID	See [2]	TM
TariffClass	AutoPASS Card: A1, A2,B2,B3,B4,B5,B6,B7,B8,B9,B10,EL,MC EasyGo OBU: AP1,AP2,AP3,AP4,AP5,AP6,AP7,AP8,AP9,EL	CP/TM
Article Price	AutoPASS Card: Full price	TM
VehicleClass	EasyGo OBU : From Status list, 01 <=3500kg, 02>=3501 kg	CP-StatusFile
VATrate	VAT rate for each Article	TM-Config
TransactionValue	Total price	TM
TicketNumber	Number from TM	TM
TransactionStatus	Status from TM	TM
ValidatonFile	OBU Statusfile, OBU Blacklist, CardBlacklist	CP/TM
FileCreateDate	Format: yyyy-mm-dd	CP/TM

## 4 Transaction File format

The process for defining the final file format:

- Sentral Tjenesteleverandør propose what standard and open format there will be used.
- NPRA check and confirm that the proposed standard is inside NPRA IT strategy for file convention.
- Sentral Tjenesteleverandør set up the xml scheme and develop the file structure
- NPRA check and verify that the file structure will fulfil the data needed for autoPASS ferry.

Both Sentral Tjenesteleverandør and NPRA might come with proposal of changes of file content if that will benefit the system functionality, but this shall be small changes from what is presented in chapter 2 and 3.